

# LOT DETAILS

Market Support - Surplus Sales | Lot 24.18 | Total Quantity (PCS): 679,727

## Lot Summary

|                 |                                                               |                   |                                                  |
|-----------------|---------------------------------------------------------------|-------------------|--------------------------------------------------|
| Warehouse       | Los Angeles, California                                       | Categories        | Opto Devices                                     |
| Number of Items | 96                                                            | Total Quantity    | 679,727 PCS                                      |
| Pallet Weight   | 896.0 lb (406.4 kg)                                           | Pallet Dimensions | 52.0 x 43.0 x 72.0 in (132.1 x 109.2 x 182.9 cm) |
| Sales Term      | Complete pallet lot; sold as-is; all sales final; no returns. | Lot               | Lot 24.18                                        |

## Items

| #  | Part Number          | Brand         | Category        | Package | Outline | Cartons | Quantity | Datasheet | Description                                                                                                                                                                                    |
|----|----------------------|---------------|-----------------|---------|---------|---------|----------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | \$EL.LEDTESTER-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | -       | 2       | 1,493    | -         | LED Tester                                                                                                                                                                                     |
| 2  | EL-IR204C-A-EL-B     | EL, EVERLIGHT | Optoelectronics | B       | R3      | 1       | 4,000    | -         | 3mm(T-1) Infrared Round LED, Cut Flange, GaAIAs, Ėp=940nm, Water Clear,Vf=1.2V(Typ.)at 20mA, Power min 4mW/sr, 35 Degree, in Reel Packing                                                      |
| 3  | EL-IR333C/H0/L1-EL-B | EL, EVERLIGHT | Optoelectronics | B       | R5      | 12      | 32,500   | -         | 5mm(T-1 3/4) Infrared Round LED, Cut Flange, GaAIAs,  Ėp=940nm, Water Clear, Vf=1.2V(Typ.)at 20mA,, Power min. 4.0mW/sr, 40 Degree, in Bulk Packing                                            |
| 4  | EL-IRM8120/N-EL-B    | EL, EVERLIGHT | Optoelectronics | B       | Q1      | 1       | 160      | -         | 15.3x15.3mm Square,Infrared Remote Control Receiver Module, 5-Lead, Ėp=940nm,Vcc=4.3~5.7V, fo=37.9KHz,High Level Pulse Width TH=800us(Max.), Reception Distance 8m,45 Degree, in Bulk Packing  |
| 5  | EL-SIR333-EL-B       | EL, EVERLIGHT | Optoelectronics | B       | R5      | 1       | 6,500    | -         | 5mm(T-1 3/4) Infrared LED, Cut Flange,GaAIAs,  Ėp=875nm,Blue Lens, Ee=20mW/sr(Typ.)at 20mA, 20 Degree, in Bulk Packing                                                                         |
| 6  | EL1003GD-EL-B        | EL, EVERLIGHT | Optoelectronics | B       | SX      | 1       | 6,000    | -         | 3.8x6.3mm Rectangular, Green LED,GaP, 570nm, 4mcd(Typ.)at 10mA, Color Diffused,100 Degree, L=25.4mm, in Bulk packing                                                                           |
| 7  | EL1003ID-EL-B        | EL, EVERLIGHT | Optoelectronics | B       | SX      | 3       | 27,500   | -         | 3.8x6.3mm Rectangular, Hi-Eff Red LED,GaAsP/GaP, 625nm, 4mcd(Typ.)at 10mA,Color Diffused,100 Degree, L=25.4mm, in Bulk packing                                                                 |
| 8  | EL1003YD-EL-B        | EL, EVERLIGHT | Optoelectronics | B       | SX      | 1       | 500      | -         | 3.8x6.3mm Rectangular, Yellow LED,GaAsP/Gap, 590nm, 4mcd(Typ.)at 10mA,Color Diffused,100 Degree, L=25.4mm, in Bulk packing                                                                     |
| 9  | EL103GD-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | T2      | 2       | 5,000    | -         | 2mm Tower, Green LED,GaP, 570nm,6.3mcd(Typ.)at 10mA, Color Diffused, 90 Degree, L=25.5mm, in Bulk packing                                                                                      |
| 10 | EL1124ID-EL-B        | EL, EVERLIGHT | Optoelectronics | B       | R2      | 1       | 3,000    | -         | 1.8mm Round Type, Hi-Eff Red LED, GaAsP/GaP,625nm,1.6mcd(Typ.)at 10mA, Color Diffused, L=25.4mm, in Bulk Packing                                                                               |
| 11 | EL134HC-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | T2      | 1       | 3,000    | -         | 2mm Tower, Bright Red LED,GaP, 650nm, 0.5mcd(Typ.)at 10mA , Water Clear, 30 Degree, L=25.4mm,in Bulk Packing                                                                                   |
| 12 | EL204EYW/R-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | R3-2    | 1       | 5,000    | -         | 3mm(T-1) Round,Bi-Color,Cut Flange,2-lead,Hi-Eff Red LED, GaAsP, 625nm,4.5mcd(Typ.)at 10mA,Yellow LED, GaAsP/GaP, 590nm,4.5mcd(Typ.)at 10mA,White Diffused,75 Degree,L=25.4mm,in Bulk Packing. |
| 13 | EL209EGW-EL-B        | EL, EVERLIGHT | Optoelectronics | B       | R3-3    | 5       | 37,500   | -         | 3mm(T-1) Round, Bi-Color,Cut Flange, 3-lead, Hi-Eff Red,GaAsP/Gap, 625nm, 2.5mcd(Typ.)at 10mA, Green LED, GaP, 570nm,4.0mcd(Typ.)at 10mA, White Diffused, 70 degree, in Bulk packing           |
| 14 | EL28-21VRC/TR8-EL-T  | EL, EVERLIGHT | Optoelectronics | T       | C1008   | 1       | 2,000    | -         | SMD Lead Frame, G-Bend, Flat Top,Hi-Eff Red LED,GaAsP, 625nm, 3.5mcd(Typ.)at 20ma, Water Clear,150 Degree, in Reel Packing                                                                     |
| 15 | EL331ID-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | R5      | 2       | 7,500    | -         | 5mm(T-1 3/4) Round,Cut Flange,Hi-Eff Red LED,GaAsP/GaP,625nm,6.3mcd(Typ.)at 10mA,Color Diffused, 60 Degree,L=20mm,in Bulk Packing                                                              |
| 16 | EL332GD-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | -       | 1       | 1,000    | -         | T-1 3/4 ECONOMIC TYPE RED/GREE                                                                                                                                                                 |

| #  | Part Number          | Brand         | Category        | Package | Outline | Cartons | Quantity | Datasheet | Description                                                                                                                                                                                |
|----|----------------------|---------------|-----------------|---------|---------|---------|----------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 17 | EL333US0C-X-EL-B     | EL, EVERLIGHT | Optoelectronics | B       | R5      | 2       | 1,500    | -         | 5mm(T-1 3/4) Round,Cut Flange,Sunset Orange,AlGaInP,615nm,2000mcd(Typ.)at 20mA(X Bin), Water Clear, 15 Degree,L=25.4mm, in Bulk Packing.                                                   |
| 18 | EL333US0C-Y-EL-B     | EL, EVERLIGHT | Optoelectronics | B       | R5      | 1       | 2,000    | -         | 5mm(T-1 3/4) Round,Cut Flange,Sunset Orange,AlGaInP,615nm,2000mcd(Typ.)at 20mA(Y Bin), Water Clear, 15 Degree,L=25.4mm, in Bulk Packing.                                                   |
| 19 | EL333UYC-X-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | R5      | 1       | 6,000    | -         | 5mm (T-13/4) Round,Cut Flange, Super Yellow LED, AlGaInP,589nm, 2000mcd(Typ.)at 20mA,Water Clear, 25 Degree,L=25.4mm, in Bulk Packing.                                                     |
| 20 | EL339-1EVGW-EL-BL    | EL, EVERLIGHT | Optoelectronics | BL      | -       | 1       | 500      | -         | 5mm Bi-Color, 3-lead, Green (Gap, 570nm) typ. 4mcd(10ma)/ Yellow(GaAsP, 590nm), typ. 4mcd(10ma), White Diffused, 50 degree                                                                 |
| 21 | EL339-1YGW-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | R5-3    | 2       | 3,500    | -         | 5mm(T-1 3/4) Round,Bi-Color,Cut Flange,3-lead,Yellow LED, GaAsP/GaP, 590nm,4.0mcd(Typ.)at 10mA,Green LED,GaP, 570nm,4.0mcd(Typ.)at 10mA,White Diffused,50 Degree,L=25.4mm,in Bulk Packing. |
| 22 | EL339EGW/R2-EL-BL    | EL, EVERLIGHT | Optoelectronics | BL      | R5-3    | 1       | 2,000    | -         | 5mm Bi-Color, 3-lead, Orange (GaAsP, 625nm)/ Green (GaP, 570nm), White Diffused, 50 degree                                                                                                 |
| 23 | EL3534KGT-EL-B       | EL, EVERLIGHT | Optoelectronics | B       | -       | 1       | 28,000   | -         | EL3534KGT                                                                                                                                                                                  |
| 24 | EL3534KGT-EL-T       | EL, EVERLIGHT | Optoelectronics | T       | -       | 2       | 28,000   | -         | EL3534KGT                                                                                                                                                                                  |
| 25 | EL393ID-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | R8      | 1       | 4,250    | -         | 7.9mm Round, Cut Flange, Hi-eff Red LED,GaAsP, 625nm, Red Diffused, 7.5mcd(Typ.)at 10mA, Color Diffused,36 Degree, in Bulk Packing                                                         |
| 26 | EL494EC-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | F3      | 1       | 12,000   | -         | 3mm Backlighting (T-1), Small Flange, Hi-Eff Red LED,GaAsP/Gap, 625nm, 2.5mcd(Typ.) at 10mA, Water Clear,120 Degree, in Bulk Packing                                                       |
| 27 | EL494GC-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | F3      | 1       | 18,000   | -         | 3mm Backlighting (T-1), Small Flange, Green LED,GaP, 570nm, 3.2mcd(Typ.)at 10mA,Water Clear, 110 Degree, in Bulk Packing                                                                   |
| 28 | EL494IT-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | F3      | 1       | 4,000    | -         | 3mm Backlighting (T-1), Small Flange, Hi-Eff Red LED,GaAsP, 625nm, 2mcd(Typ.)at 10mA, Color Tinted, 110 Degree, in Bulk Packing                                                            |
| 29 | EL494YT-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | F3      | 1       | 5,000    | -         | 3mm Backlighting (T-1), Small Flange, Yellow LED,GaAsP, 590nm, 2mcd(Typ.)at 10mA, Color Tinted,110 Degree, in Bulk Packing                                                                 |
| 30 | EL513GD-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | SF      | 2       | 37,500   | -         | 2x5mm Rectangular with Flange,Green LED,GaP,570nm,2.5mcd(typ.)at 10mA,Color Diffused,150 Degree,in Bulk Packing                                                                            |
| 31 | EL514GD-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | SF      | 2       | 16,000   | -         | 2x5mm Rectangular with Flange, Green LED,GaP, 570nm, 1.6 mcd(Typ.) at 10mA, Green Diffused,180 Degree, in Bulk Packing                                                                     |
| 32 | EL514HD-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | SF      | 2       | 18,000   | -         | 2x5mm Rectangular with Flange, Low Current Bright Red LED,GaP, 650nm, 0.25(Typ.)at 10mA, Color Diffused,180 Degree, in Bulk Packing                                                        |
| 33 | EL514ID-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | SF      | 1       | 22,000   | -         | 2x5mm Rectangular with Flange, Hi-Eff Red LED,GaAsP, 625nm, 1.25mcd(Typ.)at 10mA, Color Diffused,180 Degree, in Bulk Packing                                                               |
| 34 | EL514YD-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | SF      | 1       | 1,000    | -         | 2x5mm Rectangular with Flange, Yellow LED,GaAsP, 590nm, 1.25mcd(Typ.)at 10mA, Color Diffused,180 Degree, in Bulk Packing                                                                   |
| 35 | EL524GD-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | SF      | 1       | 12,500   | -         | 2x5mm Rectangular, Green LED, GaP, 570nm,2.3mcd(Typ.)at 10mA, Color Diffused, 175 Degree, in Bulk Packing                                                                                  |
| 36 | EL524HD-EL-B         | EL, EVERLIGHT | Optoelectronics | B       | SF      | 1       | 4,000    | -         | 2x5mm Rectangle, Low Current Bright Red LED, GaP, 650nm, 0.4 mcd(Typ.)at 10mA, Color Diffused, 175 Degree, in Bulk Packing                                                                 |
| 37 | EL573GD/TR1-EL-A     | EL, EVERLIGHT | Optoelectronics | A       | SM      | 1       | 4,000    | -         | 2.4 X 7.1 mm Rectangle, Green LED,GaP, 570nm, 2mcd(Typ.)at 10mA, Color Diffused, 180 Degree, in Ammo Packing                                                                               |
| 38 | EL573YD/TR1-EL-A     | EL, EVERLIGHT | Optoelectronics | A       | SM      | 2       | 26,000   | -         | 2.4 X 7.1 mm Rectangle, Yellow LED,GaAsP, 590nm, 2.5mcd(Typ.)at 10mA,Color Diffused, 130 Degree, in Ammo Packing                                                                           |
| 39 | EL749-1HGW/S82-EL-BL | EL, EVERLIGHT | Optoelectronics | BL      | -       | 1       | 9,500    | -         | 2x5mm Rectangular, Multi-Color, Red/Green, White Diffused Lens; Iv(mcd) = 0.63(Red), 4(Green)                                                                                              |
| 40 | EL91-21EC-EL-B       | EL, EVERLIGHT | Optoelectronics | B       | C1008   | 1       | 4,000    | -         | SMD LF Type,1.9 mm Round,Axial Straight,Hi-Eff Red LED,GaAsP/GaP, 625nm,24mcd(Typ.)at 20mA,25 Degree,in Bulk Packing                                                                       |
| 41 | EL91-21GC/TR7-EL-T   | EL, EVERLIGHT | Optoelectronics | T       | C1008   | 2       | 2,000    | -         | SMD LF Type,1.9 mm Round,G-Bend,Green LED, GaP, 565nm,21mcd(Typ.)at 20mA,25 Degree,in Reel Packing                                                                                         |

| #  | Part Number          | Brand         | Category        | Package | Outline  | Cartons | Quantity | Datasheet | Description                                                                                                                                                                                                                                     |
|----|----------------------|---------------|-----------------|---------|----------|---------|----------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 42 | EL91-21VGCf5/2-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | C1008    | 2       | 37,000   | -         | SMD LF Type, 1.9mm Round,Axial Straight,Green LED,GaP, 571nm,50mcd(Typ.)at 20mA,25 Degree,in Bulk Packing                                                                                                                                       |
| 43 | EL91-21VRC-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | C1008    | 1       | 24,000   | -         | SMD LF Type,1.9mm Round,Axial Straight,Hi-Eff Red LED,GaAsP/GaP, 625nm,25mcd(Typ.)at 20mA,25 Degree,in Bulk Packing                                                                                                                             |
| 44 | EL91-21VYC-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | C1008    | 2       | 4,000    | -         | SMD LF Type,1.9mm Round,Axial Straight,Yellow LED, GaAsP/GaP,590nm,25mcd(Typ.)at 20mA,25 Degree, in Bulk Packing                                                                                                                                |
| 45 | EL93-21VGC/F8-EL-B   | EL, EVERLIGHT | Optoelectronics | B       | C1208    | 1       | 7,000    | -         | SMD Reflector Type,G-Bend,Flat Top,Green LED,GaP, 571nm,25mcd(Typ.)at 20mA,130 Degree,in Bulk Packing                                                                                                                                           |
| 46 | EL94-22VGC-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | M0840    | 1       | 38,000   | -         | SMD Reflecotr Type,Concave, Flat Top, Green LED,GaP, 571nm,35mcd(Typ.)at 20mA,130 Degree,in Bulk Packing                                                                                                                                        |
| 47 | ELA14441W/H/TR1-EL-A | EL, EVERLIGHT | Optoelectronics | A       | -        | 3       | 6,000    | -         | ELA14441W/H/TR1                                                                                                                                                                                                                                 |
| 48 | ELA1444W/H/TR1-EL-A  | EL, EVERLIGHT | Optoelectronics | A       | -        | 4       | 8,000    | -         | ELA1444W/H/TR1                                                                                                                                                                                                                                  |
| 49 | ELA214B/G-EL-B       | EL, EVERLIGHT | Optoelectronics | B       | A13-4.0  | 1       | 1,500    | -         | 3mm(T-1) Circuit Board Indicator,Side View,1pcs,Green, GaP, 570nm, 10mcd(Typ)at 10mA, Color Diffused, 60 Degree, Std Blk Holder Size 4x5.3x6.4mm, L-Anode in Bulk Packing.                                                                      |
| 50 | ELA264B/GY-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | A13-H5.0 | 1       | 500      | -         | 3mm(T-1) Circuit Board Indicator,Side View,Color Diffused,1pcs,Green LED,GaP,570nm,10mcd(Typ.)at 10mA, Yellow LED,GaAsP, 590nm, 10mcd(Typ.)at 10mA, 60 Degree, Blk Holder Size 4.6x6.35x7.4mm, R-Anode in Bulk Packing                          |
| 51 | ELA264B/H-EL-B       | EL, EVERLIGHT | Optoelectronics | B       | A13-H5.0 | 1       | 4,000    | -         | 3mm(T-1) Circuit Board Indicator,Side View,1pcs,Low Current Bright Red, GaP, 650nm, 4.5mcd(Typ.)at 10mA,Color Diffused, 40 Degree, Blk Holder Size 4.6x6.35x7.4mm, R-Anode in Bulk Packing                                                      |
| 52 | ELA264B/Y-EL-B       | EL, EVERLIGHT | Optoelectronics | B       | A13-H5.0 | 1       | 2,000    | -         | 3mm(T-1) Circuit Board Indicator,Side View,1pcs,Yellow, GaAsP, 585nm, Color Diffused, 4.5mcd(Typ.)at 10mA, 40 Degree, Blk Holder Size 4.6x6.35x7.4mm, R-Anode in Bulk Packing                                                                   |
| 53 | ELA264BXI-EL-B       | EL, EVERLIGHT | Optoelectronics | B       | -        | 1       | 2,000    | -         | 3mm(T-1) Circuit Board Indicator,                                                                                                                                                                                                               |
| 54 | ELA694B/HG-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | V23-5.0  | 1       | 2,970    | -         | 3mm(T-1) Circuit Board Indicator,Side View,2pcs,Low Current Bright Red, GaP,650nm, 1.6mcd(Typ)at 10mA,Green, GaP,570nm,10mcd(Typ.)at 10mA,Color Diffused, 70 Degree, Blk Holder Size 4.3x9x9.7mm, L-Anode in Bulk Packing                       |
| 55 | ELA764B/HYG-EL-B     | EL, EVERLIGHT | Optoelectronics | B       | V33-6.6  | 1       | 640      | -         | LED Assembly for PCB, Side View,3mm 3pcs, T-1, Bright Red, GaP, 650nm, 1.4mcd(Typ)at 10mA,Green, GaP, 570nm, 6.5mcd(Typ)at 10mA,Yellow, GaAsP,590nm, 6.1mcd(Typ)at 10mA,Color Diffused, 40 Degree, Blk 4.3x14.5x15.3mm, L-Anode in Bulk Packing |
| 56 | ELA93B/H-EL-B        | EL, EVERLIGHT | Optoelectronics | B       | A15-5.0  | 1       | 9,000    | -         | 5mm(T-1 3/4) Circuit Board Indicator,Side View,1pcs,Low Current Bright Red, GaP, 697nm, Color Diffused, 1.6mcd(Typ)at 10mA, 45 Degree, Blk Holder Size 6x6x9mm, L-Anode in Bulk Packing.                                                        |
| 57 | ELA93B/Y-EL-B        | EL, EVERLIGHT | Optoelectronics | B       | A15-5.0  | 1       | 1,000    | -         | 5mm(T-1 3/4) Circuit Board Indicator,Side View,1pcs,Yellow, GaAsP, 585nm, Color Diffused, 5mcd(Typ)at 10mA, 45 Degree, Blk Holder Size 6x6x9mm, L-Anode in Bulk Packing.                                                                        |
| 58 | ELD511GWA(M)-EL-B    | EL, EVERLIGHT | Optoelectronics | B       | D56H8    | 1       | 560      | -         | 0.56" Dual Digit Displays,Green,GaP, 570nm,Gray,2.3mcd(Typ.)at 10mA,Common Cathode(M Bin), in Bulk Packing                                                                                                                                      |
| 59 | ELD511GWA(N)-EL-B    | EL, EVERLIGHT | Optoelectronics | B       | D56H8    | 1       | 200      | -         | 0.56" Dual Digit Displays,Green,GaP, 570nm,Gray,2.3mcd(Typ.)at 10mA,Common Cathode(N Bin), in Bulk Packing                                                                                                                                      |
| 60 | ELD511HWB(J)-EL-B    | EL, EVERLIGHT | Optoelectronics | B       | D56H8    | 1       | 400      | -         | 0.56" Dual Digit Displays,Bright Red,GaP 650nm,Black,0.4mcd(Typ.)at 10mA,Common Cathode(J Bin), in Bulk Packing                                                                                                                                 |
| 61 | ELD511HWB(K)-EL-B    | EL, EVERLIGHT | Optoelectronics | B       | D56H8    | 1       | 200      | -         | 0.56" Dual Digit Displays,Bright Red,GaP 650nm,Black,0.4mcd(Typ.)at 10mA,Common Cathode(K Bin), in Bulk Packing                                                                                                                                 |
| 62 | ELD511RDB(2)-EL-B    | EL, EVERLIGHT | Optoelectronics | B       | D56H8    | 1       | 200      | -         | 0.56" Dual Digit Displays,Hyper Red,GaAsP,645nm,Black,0.5mcd(Typ.)at 10mA,Common Cathode (2 Bin), in Bulk Packing                                                                                                                               |
| 63 | ELD512GWA(P)-EL-B    | EL, EVERLIGHT | Optoelectronics | B       | D56H8    | 1       | 200      | -         | 0.56" Dual Digit Displays,Green,GaP, 570nm,Gray,2.0mcd(Typ.)at 10mA,Common Anode(P Bin), in Bulk Packing                                                                                                                                        |
| 64 | ELD512GWA(Q)-EL-B    | EL, EVERLIGHT | Optoelectronics | B       | D56H8    | 1       | 400      | -         | 0.56" Dual Digit Displays,Green,GaP, 570nm,Gray,2.0mcd(Typ.)at 10mA,Common Anode(Q Bin), in Bulk Packing                                                                                                                                        |

| #  | Part Number        | Brand         | Category        | Package | Outline | Cartons | Quantity | Datasheet | Description                                                                                                                                                                                          |
|----|--------------------|---------------|-----------------|---------|---------|---------|----------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 65 | ELD512HWB(J)-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | D56H8   | 1       | 1,520    | -         | 0.56" Dual Digit Displays,Low current Bright Red,GaP, 697nm,Black,0.8mcd(Typ.)at 10mA,Common Anode(J Bin), in Bulk Packing                                                                           |
| 66 | ELD512RDB(G)-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | D56H8   | 1       | 600      | -         | 0.56" Dua Digit Display,Hyper Red,GaAsP,645nm,Black,0.5mcd(Typ.)at 10mA,Commom Anode (G Bin), in Bulk Packing                                                                                        |
| 67 | ELF193GD-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | T3      | 1       | 11,500   | -         | Blinking LED, 3mm Tower type,Pure Green, GaP,570nm,0.8mcd(Typ)at 10mA,Color Diffused, 40 Degree,L=23.0mm,in Bulk Packing                                                                             |
| 68 | ELF193ID-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | T3      | 1       | 3,500    | -         | Blinking LED, 3mm Tower type,Hi-Eff Red,GaAsP/GaP,625nm,0.8mcd(Typ)at 10mA,Color Diffused, 40 Degree,L=23.0mm,in Bulk Packing                                                                        |
| 69 | ELF193SRD-EL-B     | EL, EVERLIGHT | Optoelectronics | B       | T3      | 1       | 6,000    | -         | Blinking LED, 3mm Tower type,Deep Hyper Red,GaAlAs,643nm,0.8mcd(Typ)at 10mA,Color Diffused, 40 Degree,L=23.0mm,in Bulk Packing                                                                       |
| 70 | ELF193YD-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | T3      | 1       | 8,500    | -         | Blinking LED, 3mm Tower type,Yellow,GaAsP/GaP,590nm,0.8mcd(Typ)at 10mA,Color Diffused, 40 Degree,L=23.0mm,in Bulk Packing                                                                            |
| 71 | ELITR8403-EL-B     | EL, EVERLIGHT | Optoelectronics | B       | C1005   | 1       | 3,600    | -         | Opto Interrupters, Slot optical switch, Lug Mounting,Both Hand Sides,peak wavelength 940nm, 60 degree,Ic(on)>0.5mA,                                                                                  |
| 72 | ELM1001EWB(L)-EL-B | EL, EVERLIGHT | Optoelectronics | B       | C1509   | 2       | 450      | -         | 1.2" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,3.5mcd(Typ.)at 10mA,Black,Cathode Column, Anode Row(L Bin), in Bulk Packing                                                                       |
| 73 | ELM1001EWB(M)-EL-B | EL, EVERLIGHT | Optoelectronics | B       | C1509   | 2       | 720      | -         | 1.2" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,3.5mcd(Typ.)at 10mA,Black,Cathode Column, Anode Row(M Bin), in Bulk Packing                                                                       |
| 74 | ELM2001IDR(K)-EL-C | EL, EVERLIGHT | Optoelectronics | C       | C2115   | 1       | 637      | -         | 2.0" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,4.5mcd(Typ.)at 10mA,Red,Cathode Column, Anode Row((K Bin), in Tube Packing                                                                        |
| 75 | ELM2001IDR(L)-EL-B | EL, EVERLIGHT | Optoelectronics | B       | C2115   | 1       | 60       | -         | 2.0" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,4.5mcd(Typ.)at 10mA,Red,Cathode Column, Anode Row(L Bin), in Bulk Packing                                                                         |
| 76 | ELM4001RWA(G)-EL-B | EL, EVERLIGHT | Optoelectronics | B       | C4124   | 1       | 12       | -         | 4.0" 5*7 Dot Matrix Display,Hyper Red LED,GaAsP,645nm,8.9mcd(Typ.)at 10mA,Gray,Cathode Column, Anode Row(G Bin), in Bulk Packing                                                                     |
| 77 | ELPD438B-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | H5      | 1       | 2,000    | -         | PIN Photodiode,4.8mm Semi-Circle Cylindrical,Silicon,I <sub>EP</sub> =980nm,Black Lens, Rise & Fall Time 50/50nS,V(BR)>=32V, IL=70uA(Typ.), ID<=30nA , in Bulk Packing                               |
| 78 | ELPT202C-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | R3      | 1       | 20,000   | -         | 3mm(T-1) Round Phototransistor,I <sub>EP</sub> =860nm, Water Clear,Ic(on)=.7mA(Min.) and 2.0mA(Typ.), Ic(off)<=100nA, VCEO=30V,VCE(sat)<=0.4V,Rise & Fall Time 15/15uS, in Bulk Packing              |
| 79 | ELPT331C-EL-B      | EL, EVERLIGHT | Optoelectronics | B       | R5      | 1       | 15,500   | -         | 5mm(T-1 3/4) Round Phototransistor,I <sub>EP</sub> =940nm,Water Clear,Ic(on)=0.7mA(Min)and 2.5mA(Typ.),Ic(off)<=100nA, VCEO=30V, VCE(sat)<=0.4V,Rise & Fall Time 15/15uS,Water Clear,in Bulk Packing |
| 80 | ELS2325IDR(P)-EL-C | EL, EVERLIGHT | Optoelectronics | C       | S230H0  | 2       | 790      | -         | 2.3" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Red,Common Cathode(P Bin), in Tube Packing                                                                                                         |
| 81 | ELS316IDR(J)-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | S36V0   | 1       | 640      | -         | 0.36" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,1.3mcd(Typ.)at 10mA,Common Anode,(J Bin), in Bulk Packing                                                                                      |
| 82 | ELS322IDR(K)-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | S30V4   | 1       | 480      | -         | 0.3" Single Digit Display,Hi-Eff Red,GaAsP, 624nm,Red,0.7mcd(Typ.)at10mA,Common Anode(K Bin), in Bulk Packing                                                                                        |
| 83 | ELS512HWA(J)-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | S56H0   | 1       | 400      | -         | 0.56" Single Digit Display,Bright Red GaP 650nm,Gray,0.36mcd(Typ.)at 10mA,Common Anode(J Bin), in Bulk Packing                                                                                       |
| 84 | ELS512HWB(J)-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | S56H0   | 1       | 400      | -         | 0.56" Single Digit Display,Bright Red GaP 650nm,Black,0.36mcd(Typ.)at 10mA,Common Anode(J Bin),in Bulk Packing                                                                                       |
| 85 | ELS512HWB(K)-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | S56H0   | 1       | 2,800    | -         | 0.56" Single Digit Display,Bright Red GaP 650nm,Black,0.36mcd(Typ.)at10mA,Common Anode(K Bin),in Bulk Packing                                                                                        |
| 86 | ELS512IDR(K)-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | S56H0   | 1       | 2,800    | -         | 0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.80mcd(Typ.)at10mA,Common Anode(J Bin),in Bulk Packing                                                                                        |
| 87 | ELS512IDR(M)-EL-B  | EL, EVERLIGHT | Optoelectronics | B       | S56H0   | 1       | 240      | -         | 0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.80mcd(Typ.)at10mA,Common Anode(J Bin),in Bulk Packing                                                                                        |

| #  | Part Number                | Brand         | Category        | Package | Outline | Cartons | Quantity | Datasheet      | Description                                                                                                                                                     |
|----|----------------------------|---------------|-----------------|---------|---------|---------|----------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 88 | <b>ELS512RDB(F)-EL-B</b>   | EL, EVERLIGHT | Optoelectronics | B       | S56H0   | 2       | 1,600    | -              | 0.56" Single Digit Display,Hyper Red, GaAsP,645nm, Black, 0.5mcd(Typ.)at 10mA,Common Anode(F Bin), in Bulk Packing                                              |
| 89 | <b>ELS512RDB-EL-B</b>      | EL, EVERLIGHT | Optoelectronics | B       | S56H0   | 1       | 800      | -              | 0.56" Single Digit Display,Hyper Red, GaAsP,645nm, Black, 0.5mcd(Typ.)at 10mA,Common Anode, in Bulk Packing                                                     |
| 90 | <b>ELS515EWA(K)-EL-B</b>   | EL, EVERLIGHT | Optoelectronics | B       | S52H0   | 1       | 1,920    | -              | 0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Cathode(K Bin), in Bulk Packing                                               |
| 91 | <b>ELS515EWA(L)-EL-B</b>   | EL, EVERLIGHT | Optoelectronics | B       | S52H0   | 2       | 5,120    | -              | 0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Cathode(L Bin), in Bulk Packing                                               |
| 92 | <b>ELS515EWA(M)-EL-B</b>   | EL, EVERLIGHT | Optoelectronics | B       | S52H0   | 2       | 800      | -              | 0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Cathode(M Bin), in Bulk Packing                                               |
| 93 | <b>ELS516GWA(M)-EL-B</b>   | EL, EVERLIGHT | Optoelectronics | B       | S52H0   | 1       | 2,800    | -              | 0.52" Single Digit Display,Green,GaP, 570nm,Gray,6.3mcd(Typ.)at 10mA,Common Anode(M Bin),in Bulk Packing                                                        |
| 94 | <b>ELT512EWA(M)-EL-C</b>   | EL, EVERLIGHT | Optoelectronics | C       | T56H2   | 1       | 1,365    | -              | 0.56" Triple Digit Display,Hi-Eff Red,GaAsP, 625nm,Gray,2.3mcd(Typ.)at 10mA,Common Anode(M Bin), in Tube Packing                                                |
| 95 | <b>TBN-GG4TR5-336-EL-B</b> | EL, EVERLIGHT | Optoelectronics | B       | R5-2    | 1       | 1,500    | TBN-GG4TR5-336 | 5mm(T-1 3/4) Round,Bi-Color,Green LED,GaP, 570nm,2.5mcd(Typ.)at 10mA,Green LED,GaP, 570nm,2.5mcd(Typ.)at 10mAColor Diffused,54 Degree,L=25.4mm,in Bulk Packing. |
| 96 | <b>TLN-H4R3-264-92-B</b>   | 92, Taitron   | Optoelectronics | B       | R3      | 1       | 17,000   | TLN-H4R3-264   | 3mm(T-1) Round,Small Flange,Hyper Red LED,GaAsP,645nm, 1.1mcd(Typ.)at 10mA,Color Diffused,60 Degree,L=25.4mm,in Bulk Packing.                                   |

## Terms of Sale

**All sales are final.** Products are sold as-is, as complete pallet lots, with no returns. Bids are based on ex-warehouse terms. The buyer is responsible for freight, pickup, export/import requirements, taxes, duties, and applicable handling or compliance costs. Availability is subject to prior sale, bid acceptance, and final confirmation by Taitron Components.