

LOT DETAILS

Market Support - Surplus Sales | Lot 24.21 | Total Quantity (PCS): 232,630

Lot Summary

Warehouse	Los Angeles, California	Categories	Opto Devices
Number of Items	61	Total Quantity	232,630 PCS
Pallet Weight	636.0 lb (288.5 kg)	Pallet Dimensions	48.0 x 44.0 x 72.0 in (121.9 x 111.8 x 182.9 cm)
Sales Term	Complete pallet lot; sold as-is; all sales final; no returns.	Lot	Lot 24.21

Items

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
1	4N26.300-QT-C	QT	Optoelectronics	C	DIP-6	2	2,000	4N26.300	Optocouplers, Phototransistor Output, VDE0884, CTR >=20%, IF=80mA, Vceo >=30V, Viso >=5300Vrms, VF=1.2V(Typ.), Vio>=1500V, Vce(Sat) <=0.5V, in DIP-6 PKG
2	4N27.SD-QT-T	QT	Optoelectronics	T	SOP-6	1	2,000	4N27.SD	Optocouplers, Phototransistor Output, CTR >=10%, IF=80mA, Vceo >=30V, Viso >=5300Vrms, VF=1.2V(Typ.), Vio>=1500V, Vce(Sat) <=0.5V, in SOP-6 PKG
3	4N28.SD-QT-T	QT	Optoelectronics	T	SOP-6	2	7,000	4N28.SD	Optocouplers, Phototransistor Output, CTR >=10%, IF=80mA, Vceo >=30V, Viso >=5300Vrms, VF=1.2V(Typ.), Vio>=500V, Vce(Sat) <=0.5V, in SOP-6 PKG
4	4N33.SD-QT-T	QT	Optoelectronics	T	SOP-6	2	2,000	4N33.SD	Optocouplers, PhotoDarlington Output, CTR >=500%, IF=80mA, Vceo >=30V, Viso >=5300Vrms, VF=1.2V(Typ.), Vio>=1500V, Vce(Sat) <=1.0V, in SOP-6 PKG.
5	4N35.SD-QT-T	QT	Optoelectronics	T	SOP-6	12	51,000	4N35.SD	Optocouplers, Phototransistor Output, CTR >=100%, IF=60mA, Vceo >=30V, Viso >=5300Vrms, Vio=3550V, Vce(Sat) <=0.3V, in SOP-6 PKG.
6	4N36.300-QT-C	QT	Optoelectronics	C	DIP-6	1	2,000	4N36.300	Optocouplers, Phototransistor Output, VDE0884, CTR >=100%, IF=60mA, Vceo >=30V, Viso >=5300Vrms, Vio=2500V, Vce(Sat) <=0.3V, in DIP-6 PKG.
7	4N37.SD-QT-T	QT	Optoelectronics	T	SOP-6	4	19,000	4N37.SD	Optocouplers, Phototransistor Output, CTR >=100%, IF=60mA, Vceo >=30V, Viso >=5300Vrms, Vio=1500V, Vce(Sat) <=0.3V, in SOP-6 PKG.
8	4N39.300-QT-C	QT	Optoelectronics	C	DIP-6	1	1,200	-	Optocouplers, SCR Output, VDE0884, IF=60mA, Viso >=5300Vrms, VF=1.1V(Typ.), Vdm=200V, in DIP-6 PKG
9	4N39.SD-QT-T	QT	Optoelectronics	T	SOP-6	4	20,000	4N39.SD	Optocouplers, SCR Output, VDE0884, IF=60mA, Viso >=5300Vrms, VF=1.1V(Typ.), Vdm=200V, in SOP-6 PKG
10	5082-7656-QT-C	QT	Optoelectronics	C	S43V4	1	50	-	0.43 INCH RED 7 SEGMENT DISPLA
11	6N135.200D-QT-T	QT	Optoelectronics	T	DIP-8	1	12,000	6N135.200D	Optocouplers, High Speed 1MBd, CTR >=7%, IF=25mA, Viso >=2500Vrms, VF=1.5V(Typ.), Vcc=4.5V, Vo=0.4V, tPHL=1.5uS(Max.), in DIP-8 PKG
12	6N137.200D-QT-T	QT	Optoelectronics	T	SIP-8	2	8,000	6N137.200D	Optocouplers, High Speed 10MBd, Logic Gate, IF=20mA, Viso>=2500Vrms, VF=1.55V(Typ.), tPHL=75ns(Max.), tPLH=75ns(Max.), in SIP-8 PKG.
13	6N138.200D-QT-T	QT	Optoelectronics	T	DIP-8	2	10,000	6N138.200D	Optocouplers, High Gain Split, Darlington Output, CTR >=300%, IF=20mA, Viso>=2500Vrms, VF=1.45V(Typ.), Vce(Sat)<=0.4V, tPHL=10us(Max.), DIP-8 PKG
14	CNY17-3-QT-C	QT	Optoelectronics	C	DIP-6	2	12,350	CNY17-3	Optocouplers/TR Output, CTR 100~200%, Vceo >=70V, Viso >=5300Vrms, Vce(Sat) <=0.4V, Typical ton=10us, toff=10us, in DIP-6
15	CNY17G-1.300-QT-C	QT	Optoelectronics	C	DIP-6	1	1,000	CNY17G-1.300	Optocouplers/TR Output-VDE0884, CTR 40~80%, Vceo >=70V, Viso >=5300Vrms, Vce(Sat) <=0.3V, Typical ton=10us, toff=10us, in DIP-6

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
16	FND350C-QT-C	QT	Optoelectronics	C	S36V0	1	200	-	Single Digit Display, GaAsP Red, Hi-Eff, 655nm, Red, typ. 450umcd (If=20mA), C.A.
17	FND360C-QT-C	QT	Optoelectronics	C	S36V0	1	25	-	0.362 INCH RED 7 SEGMENT DISPL
18	GMA2488C-QT-C	QT	Optoelectronics	C	C2424	1	32	-	2.3 INCH RED/GREEN/YELLOW/RED-
19	GMA2875C-QT-C	QT	Optoelectronics	C	C2115	1	40	-	2.0 INCH RED/GREEN/YELLOW/RED-
20	GMA2885C-QT-C	QT	Optoelectronics	C	C2415	1	36	-	2.3 INCH RED/GREEN/YELLOW/RED-
21	GMA2975C-QT-C	QT	Optoelectronics	C	C2115	1	40	-	2.0 INCH RED/GREEN/YELLOW/RED-
22	GMC2485C-QT-C	QT	Optoelectronics	C	-	1	40	-	2.3 INCH RED/GREEN/YELLOW/RED-
23	GMC2488C-QT-C	QT	Optoelectronics	C	C2424	1	40	-	2.3 INCH RED/GREEN/YELLOW/RED-
24	GMC2688C-QT-C	QT	Optoelectronics	C	C2424	1	20	-	2.3 INCH RED/GREEN/YELLOW/RED-
25	GMC2875C-QT-C	QT	Optoelectronics	C	C2115	1	40	-	2.0 INCH RED/GREEN/YELLOW/RED-
26	GMC2885C-QT-C	QT	Optoelectronics	C	C2415	1	40	-	2.3 INCH RED/GREEN/YELLOW/RED-
27	GMC2888C-QT-C	QT	Optoelectronics	C	C2424	1	16	-	2.3 INCH RED/GREEN/YELLOW/RED-
28	GMC2988C-QT-C	QT	Optoelectronics	C	C2115	1	16	-	2.3 INCH RED/GREEN/YELLOW/RED-
29	GMC8875C-QT-C	QT	Optoelectronics	C	C1309	1	50	-	1.2 INCH RED/GREEN/YELLOW/RED-
30	H11AA1-QT-C	QT	Optoelectronics	C	DIP-6	1	7,550	H11AA1	Optocouplers/TR Output/AC Input, CTR>=20%, Vceo>=30V, Vce(Sat)<=0.4V, Iceo<=50nA, Viso>=5300VAC(rms), 1 min, in DIP-6 package
31	H11AA2.SD-QT-T	QT	Optoelectronics	T	SOP-6	1	10,000	H11AA2.SD	Optocouplers/TR Output/AC Input, CTR>=10%, Vceo>=30V, Vce(Sat)<=0.4V, Iceo<=200nA, Viso>=5300VAC(rms), 1 min, in SOP-6 Taping Reel
32	H11AA3.SD-QT-T	QT	Optoelectronics	T	SOP-6	1	3,000	H11AA3.SD	Optocouplers/TR Output/AC Input, CTR>=50%, Vceo>=30V, Vce(Sat)<=0.4V, Iceo<=50nA, Viso>=5300VAC(rms), 1 min, in SOP-6 Taping Reel
33	H11D3-QT-C	QT	Optoelectronics	C	DIP-6	1	250	H11D3	High Voltage Optocouplers/TR Output/GaAs Input, CTR >=20%, Vceo >=200V, Viso >=5300Vrms, Vce(Sat) <=0.4V, in DIP-6
34	H11D4-QT-C	QT	Optoelectronics	C	DIP-6	1	2,600	H11D4	High Voltage Optocouplers/TR Output/GaAs Input, CTR >=10%, Vceo >=200V, Viso >=5300Vrms, Vce(Sat) <=0.4V, in DIP-6
35	HCPL-2503-QT-C	QT	Optoelectronics	C	DIP-8	1	2,950	HCPL-2503	High Speed Optocouplers/TR Output, CTR 12~16%, Viso >=2500Vrms, Vs=4.5V,Vo=0.4V, Typical ton=0.8us, toff=0.8us, in DIP-8
36	HCPL-2530-QT-C	QT	Optoelectronics	C	DIP-8	1	6,900	HCPL-2530	Optocouplers/Dual High Speed Transistor Output/AlGaAs Input, Viso >=2500Vrms, Ift=7.0mA,Vcc=30V,Vcc out=4.5V,Vol=0.5V, Typical Tphl=1.5us,Tplh=1.5us, in DIP-8
37	HCPL-4502-QT-C	QT	Optoelectronics	C	DIP-8	1	300	HCPL-4502	High Speed Optocouplers/TR Output, CTR 16~19%, Viso >=2500Vrms, Vs=4.5V,Vo=0.4V, Typical ton=0.8us, toff=0.8us, in DIP-8
38	HLMP-2755-QT-C	QT	Optoelectronics	C	C0404	1	100	-	8 Pin In-Line Light Bar (0.35" x 0.35"), GaAsP Yellow 585nm, White Diffused, typ. 35mcd(If=20mA), typ. 60mcd(If=60mA)
39	HLMP-D640-QT-B	QT	Optoelectronics	B	-	1	250	-	5mm Round (T-1 3/4) with Cut Flange, Green (GaP, 560nm), Water Clear, typ. 60mcd (20ma), 24 degree Viewing Angle
40	MAN3630A-QT-C	QT	Optoelectronics	C	K30V4	1	175	-	0.3" Digit +/-1 Display,Reddish Orange,GaAsP 630nm(Peak Wavelength),Black,1800ucd(Typ.)@10mA,Common Anode
41	MAN5360-QT-C	QT	Optoelectronics	C	S51H0	1	240	-	0.51" Single Digit Display, Yellow,GaAsP 585nm,White Diffused,1200ucd(Typ.)@10mA,Gray,Common Cathode
42	MAN5460-QT-C	QT	Optoelectronics	C	S51H0	1	240	-	0.51" Single Digit Display,Green,GaAsP 565nm,White Diffused,3000ucd(Typ.)@10mA,Gray,Common Cathode
43	MAN5950-QT-C	QT	Optoelectronics	C	S51H0	1	40	-	0.51" Single Digit Display,Reddish Orange,GaAsP 635nm,White Diffused,2500ucd(Typ.)@10mA,Gray,Common Anode
44	MCT210-QT-C	QT	Optoelectronics	C	DIP-6	1	5,550	MCT210	Optocouplers/TR Output, CTR >=150%, Vceo >=30V, Viso >=5300Vrms, Vce(Sat) <=0.4V, in DIP-6

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
45	MCT6-QT-C	QT	Optoelectronics	C	DIP-8	1	7,100	MCT6	Multichannel Optoisolators/TR Output, CTR >60%, Vio >=2800Vrms, Vceo >70V, Vce(Sat)<0.3V, Typical ton/toff=6.0us, in DIP-8
46	MOC3023-QT-C	QT	Optoelectronics	C	DIP-6	2	15,000	-	Optocoupler -Traic Output (240VAC), Ift<=5mA, Vdrm=400V, Idm<=100nA, Itsm=1A@1ms, Vtm<=3V, Ih(typ)=100uA, Viso >7500VAC(peak) in DIP-6
47	MV54123-QT-B	QT	Optoelectronics	B	2X5MM	1	14,000	-	2x5mm Rectangular, Green LED, GaP, 565nm, 4mcd(Typ.) at 20mA, Color Diffused, 100 degree Viewing Angle, in Bulk Packing
48	MV6053-QT-B	QT	Optoelectronics	B	R5	1	4,250	-	5mm (T-1 3/4) Round, Cut Flange, Red LED, GaAsP, 660nm, 1.6mcd(Tpy.) at 10mA, Color Diffused, 70 degree Viewing Angle, in Bulk Packing
49	OPB804-QT-C	QT	Optoelectronics	C	-	1	100	-	Optical Interrupter Switches, IF=20mA, VCE=5V, On-State Collector Current Min 0.5mA, BVCEO Min 30V, Lead Spacing Typical 0.3
50	OPB860N51-QT-C	QT	Optoelectronics	C	-	1	100	-	Optical Interrupter Switches, IF=20mA, VCE=5V, On-State Collector Current Min 0.5mA, BVCEO Min 30V, Lead Spacing Typical 0.32
51	OPB862N55-QT-C	QT	Optoelectronics	C	-	1	200	-	PHOTOTRANSISTOR OUTPUT OPTICAL
52	OPB865T51-QT-C	QT	Optoelectronics	C	-	1	50	-	Optical Interrupter Switches, IF=20mA, VCE=5.0V, On-State Collector Current Min 0.5mA, BVCEO Min 30V, Lead Spacing Typical 0.22
53	OPB866N55-QT-C	QT	Optoelectronics	C	-	1	50	-	Optical Interrupter Switches, IF=10mA, VCE=5.0V, On-State Collector Current Min 1.0mA, BVCEO Min 30V, Lead Spacing Typical 0.22
54	QRB1113-QT-B	QT	Optoelectronics	B	-	1	50	-	PHOTOTRANSISTOR OUTPUT REFLECT
55	QVA11124-QT-C	QT	Optoelectronics	C	-	1	200	-	PHOTOTRANSISTOR OUTPUT OPTICAL
56	QVB11123-QT-C	QT	Optoelectronics	C	-	1	200	-	Optical Interrupter Switches, IF=20mA, VCE=5.0V, On-State Collector Current Min 0.2mA, BVCEO Min 30V, Lead Spacing Typical 0.22
57	QVB11224-QT-C	QT	Optoelectronics	C	-	1	200	-	Optical Interrupter Switches, IF=20mA, VCE=5.0V, On-State Collector Current Min 0.5mA, BVCEO Min 30V, Lead Spacing Typical 0.3
58	QVB11324-QT-C	QT	Optoelectronics	C	-	1	200	-	Optical Interrupter Switches, IF=20mA, VCE=5.0V, On-State Collector Current Min 0.5mA, BVCEO Min 30V, Lead Spacing Typical 0.32
59	QVB11333-QT-C	QT	Optoelectronics	C	-	1	200	-	Optical Interrupter Switches, IF=20mA, VCE=5.0V, On-State Collector Current Min 0.5mA, BVCEO Min 30V, Lead Spacing Typical 0.22
60	QVB21113-QT-C	QT	Optoelectronics	C	-	1	150	-	Optical Interrupter Switches, IF=20mA, VCE=5.0V, On-State Collector Current Min 0.1mA, BVCEO Min 30V, Lead Spacing Typical 0.22
61	QVB21313-QT-C	QT	Optoelectronics	C	-	1	200	-	Optical Interrupter Switches, IF=20mA, VCE=5.0V, On-State Collector Current Min 0.1mA, BVCEO Min 30V, Lead Spacing Typical 0.32

Terms of Sale

All sales are final. Products are sold as-is, as complete pallet lots, with no returns. Bids are based on ex-warehouse terms. The buyer is responsible for freight, pickup, export/import requirements, taxes, duties, and applicable handling or compliance costs. Availability is subject to prior sale, bid acceptance, and final confirmation by Taitron Components.